

1.) Kathy is a repair technician for a phone company. Each week, she receives a batch of phones that need repair. The number of phones that she has left to fix at the end of the day can be estimated with the equation $P = 108 - 23d$, where P is the number of phones left and d is the number of days she has worked that week. What is the meaning of the value of 108 in this equation?

- ☐ A) Kathy will complete the repairs within 108 days.
- ☒ B) Kathy starts each week with 108 phones to fix.
- ☐ C) Kathy repairs phones at a rate of 108 per hour.
- ☐ D) Kathy repairs phones at a rate of 108 per day.

2.) On Saturday afternoon, Armand sent m text messages each hour for 5 hours, and Tyrone sent p text messages each hour for 4 hours. Which of the following represents the total number of messages sent by Armand and Tyrone on Saturday afternoon?

- A) $9mp$
- B) $20mp$
- ☒ C) $5m + 4p$
- D) $4m + 5p$

$$5m + 4p$$

3.) If $\frac{x-1}{3} = k$, and $k = 3$, what is the value of x ?

A) 2

B) 4

C) 9

☒ D) 10

$$\cancel{3} \cdot \frac{x-1}{\cancel{3}} = 3 \cdot 3$$
$$x-1=9$$
$$x=10$$

4.) If $\frac{a}{b} = \underline{2}$, what is the value of $\frac{4b}{a}$?

A) 0

B) 1

☒ C) 2

D) 4

$$4 \cdot \frac{1}{2}$$

$$\frac{4}{2} = 2$$

$$\frac{4 \cdot 2}{4} = \frac{8}{4}$$

5.)

$$g(x) = ax^2 + 24$$

$$g(x) = -1x^2 + 24$$

For the function g defined above, a is a constant and $g(4) = 8$.
What is the value of $g(-4)$?

A) 8

B) 0

C) -1

D) -8

$$\begin{aligned} 8 &= a \cdot 4^2 + 24 \\ 8 &= 16a + 24 \\ -16 &= 16a \\ a &= -1 \end{aligned}$$

$$\begin{aligned} g(-4) &= -1(-4)^2 + 24 \\ &= -16 + 24 \end{aligned}$$


6.) A line in the xy -plane passes through the origin and has a slope of $\frac{1}{7}$. Which of the following points lies on the line?

A) (0, 7)

B) (1, 7)

C) (7, 7)

D) (14, 2)



7.) If $a = 5\sqrt{2}$ and $2a = \sqrt{2x}$, what is the value of x ?

$$\begin{aligned} 2(5\sqrt{2}) &= \sqrt{2x} \\ (10\sqrt{2}) &= (\sqrt{2x})^2 \\ 100 \cdot \cancel{2} &= \cancel{2}x \end{aligned}$$

$$200 = 2x$$

$$x = 100$$

8.) If $y = kx$, where k is a constant, and $y = 24$ when $x = 6$, what is the value of y when $x = 5$?

A) 6

B) 15

☒ C) 20

D) 23

$$\begin{aligned} y &= kx \\ 24 &= k(6) \\ k &= 4 \end{aligned}$$

$$\begin{aligned} y &= 4x \\ &= 4(5) = 20 \end{aligned}$$

9.) If $16 + 4x$ is 10 more than 14, what is the value of $8x$?

A) 2

B) 6

☒ C) 16

D) 80

$$\begin{aligned} 16 + 4x &= 24 \\ 4x &= 8 \\ x &= 2 \end{aligned}$$

10.) For what value of n is $|n - 1| + 1$ is equal to 0?

A) 0

B) 1

C) 2

☒ D) There is no such value of n .

$$\begin{aligned} |n - 1| + 1 &= 0 \\ |n - 1| &= -1 \end{aligned}$$

11.) Which of the following numbers is NOT a solution of the inequality $3x - 5 \geq 4x - 3$?

A) -1

B) -2

C) -3

D) -5

$$-5 \geq x - 3$$

$$-2 \geq x$$

$$x \leq -2$$

Chapter 8 - Exponents and Exponential Functions

Section 1: Zero & Negative Exponents

Find the value of each power of 2.

$2^4 =$	16
$2^3 =$	8
$2^2 =$	4
$2^1 =$	2
$2^0 =$	1
$2^{-1} =$	$0.5 = \frac{1}{2} = \frac{1}{2^1}$
$2^{-2} =$	$0.25 = \frac{1}{4} = \frac{1}{2^2}$

Zero as an exponent:

$$a^0 = 1$$

Negative
Exponents

Reciprocal

$$a^{-n} = \frac{1}{a^n}$$

Simplify. Write your answer without negative exponents.

1. $7x^{-2}$ $\frac{7}{x^2}$

2. $\frac{5}{c^{-3}}$ $5c^3$

3. $Q^0 M^{-5} N^6$ $\frac{N^6}{m^5}$

Simplify each. Write your answer without zero as an exponent or negative exponents.

1. $\frac{b^4}{w^{-7}}$ $b^4 w^7$

2. $-4k^{-2}$ $-\frac{4}{k^2}$

3. $\frac{3w^{-1}}{g^{-4}}$ $\frac{3g^4}{w}$

4. $\frac{6x^{-3}y^7}{z^{-1}}$ $\frac{6y^7z}{x^3}$

$$\left(\frac{c^4}{d^7}\right)^{-1} = \frac{d^7}{c^4}$$

$$\frac{m^{-5}w^{-1}}{d^4} = \frac{1}{m^5 w d^4}$$

$$\left(\frac{k^{-2}}{j^{-5}}\right)^{-1} = \frac{k^2}{j^5}$$

$$\frac{10e^{-3}}{3^{-2}b^5} = \frac{90}{2^3b^5} \quad 10 \cdot 3^2$$

Simplify. Write answer without zero or negative exponents.

$$1. \frac{w^{-4}x^3y^0}{1} \cdot \frac{x^3}{w^4}$$

$$2. \frac{a^0b^{-5}}{c^{-3}} \cdot \frac{c^3}{b^5}$$

$$3. \quad \frac{-3r^5 s^0 t^{-7}}{-3r^5} \\ t^7$$

$$4. \quad \frac{j^{-1} k^{-3}}{l^4 m^0} \\ j^1 k^3 l^4$$

$$5. \quad \frac{6e^{-5}}{g^{-8}} \\ \frac{6g^8}{e^5}$$

$$6. \quad \frac{-5(\cancel{a^4 b^{-7}})^0 c^2}{2d^{-8} e^{-4}} \\ \frac{-5c^2 d^8 e^4}{2}$$

Rewrite each problem so that everything has a **Negative** exponent.

$$1. \frac{m^2 g^5}{c^7} = \frac{c^{-7}}{m^{-2} g^{-5}}$$

$$2. \frac{8a^6 b^{-4}}{b^{-4} 8^{-1} a^{-4}}$$

$$3. \frac{x^{-3} y^7 z}{m^3 h^{-5}} = \frac{x^{-3} m^{-3}}{y^{-7} z^{-1} h^{-5}}$$

Is the value of each expression POSITIVE or NEGATIVE?

Write POS or NEG

$$1. -5^2 \quad \text{—}$$

$$2. (-4)^8 \quad +$$

$$3. -(-6)^4 \quad \text{—}$$

$$4. -2^3 \quad \text{—}$$

$$5. (-3)^5 \quad \text{—}$$

$$6. -(-7)^9 \quad +$$

$$7. (-6)^{-7} \quad \frac{1}{(-6)^7} = \text{—}$$

$$8. (-10)^{-6} \quad +$$

Evaluate each expression for $x = -9$ and $y = 4$.

Give fractional answers in reduced form.

1. $x^{-2}y$

$$\frac{y}{x^2} = \frac{4}{(-9)^2} = \frac{4}{81}$$

2. $-y^{-3}$

$$\frac{-1}{y^3} = \frac{-1}{(4)^3} = \frac{-1}{64}$$

3. $2x^2y^{-2}$

4. $(2y)^{-2}$

HW #9 - due Thursday

Sec 8-1

Pages 377-378

Problems 17-19, 28, 29, 32, 42-44, 77

IXL #6 - V.1 & V.3 due Friday at 4pm!