

Bellwork Alg 2A Tuesday, June 13, 2017

1. Three roots of a fourth degree polynomial are 7, -2, and $\sqrt{3}$. Write this polynomial in STANDARD FORM.

2. Simplify. State restrictions on the variable. $\frac{x^2 + x - 2}{2x^3 + 12x^2 + 16x} \div \frac{4x^2 + 8x - 12}{6x^4 + 54x^3 + 120x^2}$

3. Does each table represent Direct Variation, Inverse Variation, or neither?

If it does represent a variation do the following:

• Write a Variation Equation

AND

• Find the value of x when $y = 150$

a)

X	Y
-8	20
-5	12.5
3	7.5
7.2	-18
13	-32.5

b)

X	Y
-12	-24
-9	-32
-1.5	-192
5	57.6
8	36

c)

X	Y
-15	55.5
-11	40.7
-6	22.2
4	-14.8
19	-70.3

4. Find each quotient. You can leave the remainder any way you wish.

a) $\frac{4x^3 - 11x + 18}{x + 3}$

b) $\frac{6x^3 + 31x^2 + 8x - 45}{3x + 5}$

5. Given 4 and -2 are roots of $y = x^4 - 2x^3 - 15x^2 + 14x + 56$ find the remaining roots.

6. State the degree (actual NUMBER) and leading coefficient (actual NUMBER) of each polynomial.

a) $y = -12x^3 + 7x^2 - 3x^4 + x - 29$

b) $y = -3x(x + 6)^2(8 - 2x)^3(7x + 4)(5x - 9)^2$

DEG=

Leading Coeff=

DEG=

Leading Coeff=

7. State the end-behavior of each polynomial.

a) $y = -6x^2 + 7x + x^3 + 4$

b) $y = 11x^4 - 34x^3 - x^2 - 10x - 1$

c) $y = x^3(5 - x)(x + 7)^2$

(1)

ROOTS	FACTORS
7	$x-7$
-2	$x+2$
$\pm\sqrt{3}$	x^2-3

$$(x-7)(x+2)(x^2-3)$$

	x	-7
x	x^2	$-7x$
$+2$	$+2x$	-14

$$(x^2-5x-14)(x^2-3)$$

	x^2	$-5x$	-14
x^2	x^4	$-5x^3$	$-14x^2$
-3	$-3x^2$	$+15x$	$+42$

$$f(x) = x^4 - 5x^3 - 17x^2 + 15x + 42$$

(2)

$$\frac{x^2 + x - 2}{2x^3 + 12x^2 + 16x} \div \frac{4(x^2 + 2x - 3)}{6x^2(x^2 + 9x + 20)}$$

$\hookrightarrow 2x(x^2 + 6x + 8)$

 ~~$x^2 + 6x + 8$~~

$$\frac{(x+2)(x-1)}{2x(x+4)(x+2)} \div \frac{4(x+3)(x-1)}{6x^2(x+4)(x+5)}$$

$$\frac{(x+2)(x-1)}{2x(x+4)(x+2)} \cdot \frac{6x^2(x+4)(x+5)}{4(x+3)(x-1)} = \frac{6x^2(x+5)}{8x(x+3)}$$

$$= \frac{3x(x+5)}{4(x+3)}$$

$$x \neq 0, -4, -2, -5, -3, 1$$

(3) a) Neither

b) INVERSE VARIATION EQ: $xy = 288$ or $y = \frac{288}{x}$

$$x = 1.92 \text{ when } y = 150$$

c) DIRECT VARIATION EQ: $y = -3.7x$ or $\frac{y}{x} = -3.7$

$$x \approx -40.54 \text{ when } y = 150$$

$$\textcircled{4} \quad a) \quad \begin{array}{r|rrrrr} -3 & 4 & 0 & -11 & 18 & \\ & -12 & 36 & -75 & & \\ \hline & 4 & -12 & 25 & -57 & \end{array}$$

$$4x^2 - 12x + 25 \quad R = -57$$

$$b) \quad \begin{array}{r} 2x^2 + 7x - 9 \\ 3x + 5 \overline{) 6x^3 + 31x^2 + 8x - 45} \\ \underline{-(6x^3 + 10x^2)} \\ 21x^2 + 8x \\ \underline{-(21x^2 + 35x)} \\ -27x - 45 \\ \underline{-(-27x - 45)} \\ 0 \end{array}$$

$$2x^2 + 7x - 9$$

$$\textcircled{5} \quad \begin{array}{r|rrrrr} 4 & 1 & -2 & -15 & 14 & 56 \\ & & 4 & 8 & -28 & -56 \\ \hline & 1 & 2 & -7 & -14 & 0 \end{array} \quad \begin{array}{r} -2 \\ \hline 1 \quad 2 \quad -7 \quad -14 \\ \quad -2 \quad 0 \quad 14 \\ \hline 1 \quad 0 \quad -7 \quad 0 \end{array}$$

$$x^2 - 7 = 0$$

$$x^2 = 7$$

$$x = \pm \sqrt{7}$$

$$\textcircled{6} \quad a) \quad \begin{array}{l} \text{DEG} = 4 \\ \text{L.C.} = -3 \end{array}$$

$$b) \quad \begin{array}{l} \text{DEG} = 1 + 2 + 3 + 1 + 2 = 9 \\ \text{L.C.} = (-3)(1)(-2)^3(7)(5)^2 \\ \phantom{\text{L.C.}} = 4200 \end{array}$$

- $\textcircled{7}$ a) pos ODD ($\downarrow, \uparrow$)
 b) pos EVEN ($\uparrow, \uparrow$)
 c) NEG EVEN ($\downarrow, \downarrow$)