

When simplifying don't leave answers with exponents that are zero or negative and give fractional answers in reduced form not as decimals.

1. Simplify. Use absolute value symbols as needed.

a) $\sqrt{68a^6b^{13}c^{23}}$ b) $\sqrt[3]{-24m^{14}n^{21}}$ c) $\sqrt[6]{g^{33}h^{49}}$

2. Simplify each. Assume that all variables are positive numbers. Make sure denominators are rationalized if necessary.

a) $5\sqrt{28} + 3\sqrt{175} - 2\sqrt{63}$ b) $\sqrt{10x^9y^7} \cdot \sqrt{15xy^{10}}$ c) $\frac{\sqrt[3]{96a^{15}b^4}}{\sqrt[3]{6a^2b^{10}}}$ d) $(7 + 3\sqrt{3})(5 - 4\sqrt{3})$
 e) $(8 - \sqrt{7})(8 + \sqrt{7})$ f) $\frac{\sqrt{21m^{17}n^5}}{\sqrt{12m^6n^{13}}}$ g) $\sqrt[3]{4a^7b} \cdot \sqrt[3]{14a^9b^{11}}$ h) $(3\sqrt{5} - 7)^2$

3. Rationalize each denominator and simplify. Assume all variables are positive numbers.

a) $\frac{12Q^4R^2}{\sqrt{3Q^5R^3}}$ b) $\frac{14a^2b}{\sqrt[3]{4a^{10}b^8}}$ c) $\frac{8}{4 + \sqrt{6}}$ d) $\frac{14m^3}{\sqrt[3]{6m^2n^{13}}}$

4. Rewrite in radical form. a) $a^{\frac{2}{3}}$ b) $6m^{\frac{9}{2}}$

5. Rewrite in exponential form. a) $\sqrt[8]{e^5}$ b) $\sqrt[3]{5c}$

6. Simplify each. Assume that all variables are positive numbers.

a) $(5w^{\frac{-7}{2}})^4$ b) $(8m^9)^{\frac{-2}{3}}$

7. Solve each equation. Check for extraneous solutions.

a) $\sqrt[3]{2x-7} = \sqrt[3]{x+4}$ b) $5\sqrt{x-7} - 4 = 6$ c) $3(x+1)^{\frac{3}{5}} = 24$

d) $\sqrt{3x-2} - x = 0$ e) $\sqrt{2x+19} - 2 = x$



8. Write the equation of the inverse relation for each function.

a) $f(x) = \frac{2x^2-3}{5}$ b) $y = -3x+1$ c) $y = -7\sqrt[3]{x-4} + 6$ d) $y = 9\left(\frac{5x-1}{8}\right)^3$


9. Tell if the inverse relation of each is a function or not.

a) $y = -\frac{2}{3}x + 7$ b) $y = (x-1)^4 + 5$


c) Use the graph below d) Use the graph below




10. Write the equation of each square root function.



a)



b)



c)

11. Graph each square root function.

a) $y = -\sqrt{x} + 2$


b) $y = 2\sqrt{x+4} - 3$

c) $y = -\sqrt{-(x-3)} + 1$

d) $y = 3\sqrt{-(x-2)}$

12. Find the Domain and Range of the functions in problem #11.

13. State the Domain and Range of the inverse relation to the graph shown below.



Alg 2B

Chapter Review

ANSWERS

Fall 2017

1. a) $2|a^3| \cdot b^6 \cdot |c^{11}| \cdot \sqrt{17bc}$

b) $-2m^4n^7\sqrt[3]{3m^2}$

c) $|g^5| \cdot h^8\sqrt[6]{g^3h}$

2 a) $19\sqrt{7}$

b) $5x^5y^8\sqrt{6y}$

c) $\frac{2a^4\sqrt[3]{2a}}{b^2}$

d) $-1 - 13\sqrt{3}$

e) 57

f) $\frac{m^5\sqrt{7m}}{2n^4}$

g) $2a^5b^4\sqrt[3]{7a}$

h) $94 - 42\sqrt{5}$

3. a) $4Q\sqrt{3QR}$

b) $\frac{7\sqrt[3]{2a^2b}}{a^2b^2}$

c) $\frac{16 - 4\sqrt{6}}{5}$

d) $\frac{7m^2\sqrt[6]{6^5m^4n^5}}{3n^3}$

4. a) $\sqrt[3]{a^2}$ or $(\sqrt[3]{a})^2$

b) $6\sqrt{m^9}$ or $6(\sqrt{m})^9$

5. a) $e^{\frac{5}{8}}$

b) $(5c)^{\frac{1}{3}}$

6. a) $\frac{625}{w^{14}}$

b) $\frac{1}{4m^6}$

7. a)
- $x = 11$
- b)
- $x = 11$
- c)
- $x = 31$
- d)
- $x = 1, 2$
- e)
- $x = 3$

8. a) $f^{-1}(x) = \pm \sqrt{\frac{5x+3}{2}}$

b) $f^{-1}(x) = \frac{x-1}{-3}$

c) $f^{-1}(x) = \left(\frac{x-6}{-7}\right)^5 + 4$



d) $f^{-1}(x) = \frac{8 \cdot \sqrt[3]{\frac{x}{9}} + 1}{5}$

9. a) Yes b) No c) No d) Yes

10. a) $y = -2\sqrt{-(x-3)} + 4$ b) $y = -3\sqrt{x+3} + 2$ c) $y = 2\sqrt{-(x-1)} - 3$



11. a)

b)



c)

d)



12. Inequality Notation

- a) Domain:
- $x \geq 0$
- Range:
- $y \leq 2$
-
- c) Domain:
- $x \leq 3$
- Range:
- $y \leq 1$

- b) Domain:
- $x \geq -4$
- Range:
- $y \geq -3$
-
- d) Domain:
- $x \leq 2$
- Range:
- $y \geq 0$

12. Interval Notation

- a) Domain:
- $[0, \infty)$
- Range:
- $(-\infty, 2]$
-
- c) Domain:
- $(-\infty, 3]$
- Range:
- $(-\infty, 1]$

- b) Domain:
- $[-4, \infty)$
- Range:
- $[-3, \infty)$
-
- d) Domain:
- $(-\infty, 2]$
- Range:
- $[0, \infty)$

13. Domain of the inverse:
- $x \leq 3$
-
- Domain of the inverse:
- $(-\infty, 3]$

- Range of the inverse:
- $y < -2, 1 \leq y \leq 4$
-
- Range of the inverse:
- $(-\infty, -2) \cup [1, 4]$